

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name Peaty's Holeshot Biofibre Tubeless Tyre Sealant Product no. Peaty's Holeshot Biofibre Tubeless Tyre Sealant

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of

Tyre Sealant

the substance or mixture

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company and address Peaty's Ltd

The Circle,

33 Rockingham Lane,

S1 4FW Sheffield United Kingdom +44 (0)330 001 1289 https://peatys.co.uk/ info@peatys.co.uk

Revision 24/05/2024

SDS Version 1.0

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.2. Label elements

E-mail

Hazard pictogram(s) Not applicable.
Signal word Not applicable.
Hazard statement(s) Not applicable.

Precautionary statement(s)

General Prevention Response Storage Disposal -

Hazardous substances None known.
Additional labelling Not applicable.

2.3. Other hazards

Additional warnings This mixture/product does not contain any substances known to fulfil the criteria



for PBT and vPvB classification.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
ethanediol;ethylene glycol	CAS No.: 107-21-1 EC No.: 203-473-3 UK-REACH: Index No.: 603-027-00-1	5-10%	Acute Tox. 4, H302 STOT RE 2, H373	[1]
bronopol (INN);2-bromo-2- nitropropane-1,3-diol	CAS No.: 52-51-7 EC No.: 200-143-0 UK-REACH: Index No.: 603-085-00-8	<0.25%	Acute Tox. 3, H301 (ATE: 193.00 mg/kg) Acute Tox. 3, H311 Skin Irrit. 2, H315 Eye Dam. 1, H318 Acute Tox. 3, H331 STOT SE 3, H335 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 2, H411	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit.

SECTION 4: First aid measures

4.1. Description of first aid measures

Description of mise and	
General information	In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.
Inhalation	In case of discomfort: bring the person into fresh air.
Skin contact	Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.
Eye contact	Rinse gently with lukewarm water. Remove any contact lenses if this is easy to do. Continue rinsing. In case of persistent eye irritation or discomfort: Seek medical help.
Ingestion	Rinse and flush mouth thoroughly and consume large quantities of water. In case of continued discomfort: seek medical assistance and bring this safety data sheet.
Burns	Not applicable.



4.2. Most important symptoms and effects, both acute and delayed

None known.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2)

5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact during pregnancy and while nursing.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage

Strong acids

material

Storage temperature Protect from moisture.



Protect from sunlight. Room temperature 15 to 20°C

Incompatible materials Strong acids

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ethanediol;ethylene glycol

Long term exposure limit (8 hours) (ppm): 20(vapour)

Long term exposure limit (8 hours) (mg/m³): 10(particulate)/52(vapour)

Short term exposure limit (15 minutes) (ppm): 40 (vapour)

Short term exposure limit (15 minutes) (mg/m³): 104 (vapour)

Annotations:

Sk = Can be absorbed through the skin and lead to systemic toxicity.

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

bronopol (INN);2-bromo-2-nitropropane-1,3-diol

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Dermal	4 μg/cm²
Long term – Local effects - Workers	Dermal	8 μg/cm²
Long term – Systemic effects - General population	Dermal	700 μg/kgbw/day
Long term – Systemic effects - Workers	Dermal	2 mg/kg bw/day
Short term – Local effects - General population	Dermal	4 μg/cm²
Short term – Local effects - Workers	Dermal	8 μg/cm²
Short term – Systemic effects - General population	Dermal	2.1 mg/kg bw/day
Short term – Systemic effects - Workers	Dermal	6 mg/kg bw/day
Long term – Local effects - General population	Inhalation	600 μg/m³
Long term – Local effects - Workers	Inhalation	2.5 mg/m ³
Long term – Systemic effects - General population	Inhalation	600 μg/m³
Long term – Systemic effects - Workers	Inhalation	3.5 mg/m ³
Short term – Local effects - General population	Inhalation	600 μg/m³
Short term – Local effects - Workers	Inhalation	2.5 mg/m ³
Short term – Systemic effects - General population	Inhalation	1.8 mg/m ³
Short term – Systemic effects - Workers	Inhalation	10.5 mg/m ³
Long term – Systemic effects - General population	Oral	180 μg/kgbw/day
Short term – Systemic effects - General population	Oral	500 μg/kgbw/day

ethanediol;ethylene glycol

Duration:	Route of exposure:	DNEL:	
Long term – Systemic effects - General population	Dermal	53 mg/kg bw/day	
Long term – Systemic effects - Workers	Dermal	106 mg/kg bw/day	



Long term – Local effects - General population	Inhalation	7 mg/m³
Long term – Local effects - Workers	Inhalation	35 mg/m³

PNEC

bronopol (INN):2-bromo-2-nitropropane-1.3-diol

are reper (artiful) a seeme a mare properties in a con-				
Route of exposure:	Duration of Exposure:	PNEC:		
Freshwater		1.25 μg/L		
Freshwater sediment		21.5 μg/kg		
Intermittent release (freshwater)		265 ng/L		
Marine water		520 ng/L		
Marine water sediment		8.944 µg/kg		
Sewage treatment plant		430 μg/L		
Soil		210 μg/kg		

ethanediol:ethylene glycol

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		10 mg/L
Freshwater sediment		37 mg/kg
Intermittent release (freshwater)		10 mg/L
Intermittent release (marine water)		10 mg/L
Marine water		1 mg/L
Marine water sediment		3.7 mg/kg
Sewage treatment plant		199.5 mg/L
Soil		1.53 mg/kg

8.2. **Exposure controls**

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios There are no exposure scenarios implemented for this product.

Exposure limits Professional users are subjected to the legally set maximum concentrations for

occupational exposure. See occupational hygiene limit values above.

Appropriate technical

measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of

vapours.

Hygiene measures Measures to avoid environmental exposure Wash hands after use. No specific requirements.

Individual protection measures, such as personal protective equipment

Generally Use only UKCA marked protective equipment.

Respiratory Equipment No specific requirements

Skin protection

No specific requirements.

Hand protection



Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Gloves	-	-	EN374	
ye protection				
Туре	Standards			
Safety glasses	EN166			

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid Colour White

Odour / Odour threshold Characteristic

pH 7-8

Density (g/cm³) No data available
Relative density No data available
Kinematic viscosity No data available

Dynamic viscosity 600 - 750 CPS ford cup 3

Particle characteristics No data available

Phase changes

Melting point/Freezing point No data available

(°C)

Softening point/range

(waxes and pastes) (°C)

Does not apply to liquids.

Boiling point (°C)

Vapour pressure

Relative vapour density

Decomposition temperature

No data available

No data available

(°C

Data on fire and explosion hazards

Flash point (°C) No data available

Flammability (°C) The material is not combustible.

Auto-ignition temperature

(°C)

No data available

Lower and upper explosion

limit (% v/v)

No data available

Solubility

Solubility in water Partly miscible with water

n-octanol/water coefficient No data available

(LogKow)

Solubility in fat (g/L) Testing not relevant or not possible due to the nature of the product.



9.2. Other information

Evaporation rate (n-No data available

butylacetate = 100)

No data available Oxidizing properties Other physical and chemical No data available.

parameters

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. **Chemical stability**

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Storage in the open is not recommended.

Sunlight Water

Dirt

10.5. **Incompatible materials**

Strong acids

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

Acute toxicity

Product/substance ethanediol;ethylene glycol

Species: Rabbit Route of exposure: Dermal Test: LD50 Result: 10600 mg/kg

Product/substance bronopol (INN);2-bromo-2-nitropropane-1,3-diol

Species: Rat Route of exposure: Oral Test: LD50

Result: 193-211 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.



Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

None known.

Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

None known.

SECTION 12: Ecological information

12.1. Toxicity

No data available.

12.2. Persistence and degradability

Based on available data, the classification criteria are not met.

12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

SECTION 13: Disposal considerations



Waste treatment methods

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

Not applicable.

Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*		Other information:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

^{*} Packing group

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application Pregnant women and women breastfeeding must not be exposed to this

product. The risk, and possible technical precautions or design of the workplace

needed to eliminate exposure, must be considered.

Demands for specific

education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

Additional information

Not applicable.

Sources

The Health and Safety at Work etc. Act 1974 Regulations 2013.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and

amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation,

Authorisation and Restriction of Chemicals (REACH) as retained and amended in

UK law.

15.2. Chemical safety assessment

No

^{**} Environmental hazards



SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H301, Toxic if swallowed.

H302, Harmful if swallowed.

H311, Toxic in contact with skin.

H315, Causes skin irritation.

H318, Causes serious eye damage.

H331, Toxic if inhaled.

H335, May cause respiratory irritation.

H373, May cause damage to organs through prolonged or repeated exposure.

H400, Very toxic to aquatic life.

H411, Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

GWP = Global warming potential

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the

Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information



Not applicable.

The safety data sheet is validated by

Bryn Morgan

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en